

FORM PTO-1449 U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE  
 OCT 27 2003  
 List of Information Cited by Applicant  
 Page 1 of 1

ATTY. DOCKET NO.  
 SURR.08/D

SERIAL NO.  
 10/635,917

APPLICANT  
 DIETZ, ET AL.

FILING DATE  
 August 5, 2003

GROUP

U.S. PATENT DOCUMENTS							
EXAM. INITIAL		DOCUMENT NUMBER	DATE	NAME	CLS	SUB-CLS	FILE DATE
OPN	AA	5,127,730	07/07/1992	BRELJE ET AL			
OPN	AB	5,192,980	03/09/1993	DIXION ET AL			
OPN	AC	5,239,178	08/24/1993	DERNDINGER ET AL			
OPN	AD	5,304,810	04/19/1994	AMOS			
OPN	AE	5,446,532	08/29/1995	YAMAZAKI			
OPN	AF	5,547,849	08/20/1996	BAER ET AL			
OPN	AG	5,556,764	09/17/1996	SIZTO ET AL			
OPN	AH	5,578,832	11/26/1996	TRULSON ET AL			
OPN	AI	5,726,751	03/10/1998	ALTENDORF ET AL			
OPN	AJ	6,104,945	08/15/2000	MODELL ET AL			
OPN	AK	6,236,945	05/22/2001	SIMPSON ET AL			
OPN	AL	6,377,842	04/23/2002	POGUE ET AL			
OPN	AM	6,388,788	05/14/2002	HARRIS ET AL			
	AN						
	AO						
	AP						
	AQ						

FOREIGN PATENT DOCUMENTS							
EXAM. INITIAL		DOCUMENT NUMBER	DATE	COUNTRY	CLS	SUB CLS	TRANS ?
OPN	AR	DE 197 07 227	08/27/1998	GERMANY			
OPN	AS	EP 0 296 136	12/21/1988	EUROPE			
	AT						
	AU						

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)			
OPN	AV	Dietz et al (1996) Cytomerty 23:177-186	
OPN	AW	Holst (1998) CCD Arrays, Camear and Displays, 2d Ed., JCD Publishing and SPIE Optical Engineering Press	
OPN	AAA	Bruchez et al. (1998) Science 281:2013	
OPN	AAB	Wright et al. (1997) Proceedings of SPIE - The International Society for Optical Engineering Ultrasensitive Biochemical Diagnostics II, Feb. 10-12, San Jose, CA	
EXAMINER		DATE CONSIDERED	
*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.			